





Click on a thumbnail to enlarge. Oldest screenshots are shown first.


osFree screenshots

Version 0.0.2


All screenshots in this section are of software currently under development.

Boot Sequence	With Original Bootsector
	
Boot Sequence with LILO ¹⁾	OS/2 Test Application ²⁾
	
OS/2 Application Output ³⁾	
	

Version 0.0.3

OS/2 Personality server ⁴⁾	
	
FreeLdr boot menu ⁵⁾	FreeLdr boot menu ⁶⁾

[illegible]

OS/2 LX Executable (Win32 host) ⁷⁾	OS/2 LX Executable (L4 host) ⁸⁾
	
FreeDOS startup	argenv.exe (arguments and environment test)
	
sort.exe (DosOpen test)	

FreeLDR 0.0.5 main screen

Press any key to start the booting process

Press any key to start the booting process

FreeLDR 0.0.5 main screen

<http://cocorico.osfree.org/doku/> Printed on 2026/02/08 16:36

2)

Here you can see result of GRUB, Bootstrap, Fiasco and core servers with ongoing port/reimplementation of OS2Linux for L4 microkernel. Output to log server.

3)

Same as above, but output to graphical L4Con console.

4)

CONFIG.SYS already parsed and start of PROTSHELL execution

5)

simple menu

6)

full-featured menu

7)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of Win32 host

8)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of L4 host

9)

menu screen

From:

<http://cocorico.osfree.org/doku/> - **osFree wiki**

Permanent link:

<http://cocorico.osfree.org/doku/doku.php?id=en:screenshots&rev=1362967610>

Last update: **2013/03/10 23:00**

