



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · [0 Comments](#)

2021/08/20 03:18 · prokushev · [0 Comments](#)

MouClose

MouClose closes the mouse device for the current session and removes the mouse device driver handle from the list of valid open mouse device handles.

Syntax

```
MouClose (DeviceHandle)
```

Parameters

- DeviceHandle (HMOU) - input : Mouse device handle from a previous MouOpen.

Return Code

rc (USHORT) - return:Return code descriptions are:

- 0 - NO_ERROR
- 385 - ERROR_MOUSE_NO_DEVICE
- 466 - ERROR_MOU_DETACHED
- 501 - ERROR_MOUSE_NO_CONSOLE
- 505 - ERROR_MOU_EXTENDED_SG

Bindings

C

```
#define INCL_MOUSE  
  
USHORT rc = MouClose(DeviceHandle);  
  
HMOU DeviceHandle; /* Mouse device handle */
```

```
USHORT rc; /* return code */
```

MASM

```
EXTRN MouClose:FAR  
INCL_MOU EQU 1  
  
PUSH WORD DeviceHandle ;Mouse device handle  
CALL MouClose  
  
Returns WORD
```

From:
<https://cocorico.osfree.org/doku/> - osFree wiki

Permanent link:
<https://cocorico.osfree.org/doku/doku.php?id=en:docs:fapi:mouclose&rev=1634264884>

Last update: **2021/10/15 02:28**

