






Click on a thumbnail to enlarge. Oldest screenshots are shown first.


### osFree screenshots

#### Version 0.0.2

All screenshots in this section are of software currently under development.

<p><b>Boot Sequence</b></p> 	<p><b>With Original Bootsector</b></p> 
<p><b>Boot Sequence with LILO <sup>1)</sup></b></p> 	<p><b>OS/2 Test Application <sup>2)</sup></b></p> 
<p><b>OS/2 Application Output <sup>3)</sup></b></p> 	

#### Version 0.0.3

<p><b>OS/2 Personality server <sup>4)</sup></b></p> 	
<p><b>FreeLdr boot menu <sup>5)</sup></b></p>	<p><b>FreeLdr boot menu <sup>6)</sup></b></p>



### Version 0.0.4

OS/2 LX Executable (Win32 host) 7)	OS/2 LX Executable (L4 host) 8)
<p>OS/2 LX Executable (Win32 host) 7)</p> <p>A screenshot of a Windows host running an OS/2 LX executable. The window shows a black background with white text, likely a boot or test screen.</p>	<p>OS/2 LX Executable (L4 host) 8)</p> <p>A screenshot of an OS/2 LX executable running on an L4 host. The window shows a black background with white text, including memory addresses and system information.</p>
FreeDOS startup	argenv.exe (arguments and environment test)
<p>FreeDOS startup</p> <p>A screenshot showing the initial boot screen of FreeDOS, displaying a black background with white text.</p>	<p>argenv.exe (arguments and environment test)</p> <p>A screenshot of the argenv.exe application running, showing a black background with white text for argument and environment testing.</p>
sort.exe (DosOpen test)	
<p>sort.exe (DosOpen test)</p> <p>A screenshot of the sort.exe application running, showing a black background with white text for a DosOpen test.</p>	

### Version 0.0.5



1)

Here you can see result of FreeLDR, Kickstart, L4Ka:Pistachio, sigma0 server and initial screen of pingpong application.

2)

Here you can see result of GRUB, Bootstrap, Fiasco and core servers with ongoing port/reimplementation of OS2Linux for L4 microkernel. Output to log server.

3)

Same as above, but output to graphical L4Con console.

4)

CONFIG.SYS already parsed and start of PROTSHELL execution

5)

simple menu

6)

full-featured menu

7)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of Win32 host

8)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of L4 host

9)

menu screen

From:

<https://cocorico.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://cocorico.osfree.org/doku/doku.php?id=en:screenshots&rev=1362899330>

Last update: **2013/03/09 23:00**

