






Click on a thumbnail to enlarge. Oldest screenshots are shown first.


osFree screenshots

Version 0.0.2

All screenshots in this section are of software currently under development.

<p>Boot Sequence</p> 	<p>With Original Bootsector</p> 
<p>Boot Sequence with LILO ¹⁾</p> 	<p>OS/2 Test Application ²⁾</p> 
<p>OS/2 Application Output ³⁾</p> 	

Version 0.0.3

<p>OS/2 Personality server ⁴⁾</p> 	
<p>FreeLdr boot menu ⁵⁾</p>	<p>FreeLdr boot menu ⁶⁾</p>



Version 0.0.4

OS/2 LX Executable (Win32 host) 7)	OS/2 LX Executable (L4 host) 8)
<p>OS/2 LX Executable (Win32 host) 7)</p> <p>The screenshot shows a terminal window with a list of test results, including '0. OS/2 Personality with pingpong test', '1. Kickstart with pingpong (hd0:0) from FAT partition', '2. Kickstart with pingpong (hd0:0) from FAT partition', '3. L4Ka: Pistachio with pingpong test!', '4. Pistachio with pingpong (hd0:0) from FAT partition', '5. Pistachio with pingpong (hd0:0) from FAT partition', '6. Pistachio with pingpong from FAT floppy', '7. Linux with hi_linux', '8. Windows with hi_linux', and '9. FreeDOS with memdisk (from sigmat0) with M_1.exe'.</p>	<p>OS/2 LX Executable (L4 host) 8)</p> <p>The screenshot shows a terminal window with a list of test results, including '0. OS/2 Personality with pingpong test', '1. Kickstart with pingpong (hd0:0) from FAT partition', '2. Kickstart with pingpong (hd0:0) from FAT partition', '3. L4Ka: Pistachio with pingpong test!', '4. Pistachio with pingpong (hd0:0) from FAT partition', '5. Pistachio with pingpong (hd0:0) from FAT partition', '6. Pistachio with pingpong from FAT floppy', '7. Linux with hi_linux', '8. Windows with hi_linux', and '9. FreeDOS with memdisk (from sigmat0) with M_1.exe'.</p>
FreeDOS startup	argenv.exe (arguments and environment test)
<p>FreeDOS startup</p> <p>The screenshot shows the initial screen of the FreeDOS operating system, displaying the 'FreeDOS 2.0' logo and the 'FreeDOS 2.0' text.</p>	<p>argenv.exe (arguments and environment test)</p> <p>The screenshot shows the output of the argenv.exe application, displaying a list of arguments and environment variables.</p>
sort.exe (DosOpen test)	
<p>sort.exe (DosOpen test)</p> <p>The screenshot shows the output of the sort.exe application, displaying a list of sorted data.</p>	

Version 0.0.5



1)

Here you can see result of FreeLDR, Kickstart, L4Ka:Pistachio, sigma0 server and initial screen of pingpong application.

2)

Here you can see result of GRUB, Bootstrap, Fiasco and core servers with ongoing port/reimplementation of OS2Linux for L4 microkernel. Output to log server.

3)

Same as above, but output to graphical L4Con console.

4)

CONFIG.SYS already parsed and start of PROTSHELL execution

5)

simple menu

6)

full-featured menu

7)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of Win32 host

8)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of L4 host

9)

menu screen

From:

<https://cocorico.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://cocorico.osfree.org/doku/doku.php?id=en:screenshots&rev=1362967590>

Last update: **2013/03/10 23:00**

