






osFree screenshots


Click on a thumbnail to enlarge. Oldest screenshots are shown first.

Version 0.0.2

All screenshots in this section are of software currently under development.

<p>Boot Sequence</p> 	<p>With Original Bootsector</p> 
<p>Boot Sequence with LILO ¹⁾</p> 	<p>OS/2 Test Application ²⁾</p> 
<p>OS/2 Application Output ³⁾</p> 	

Version 0.0.3

<p>OS/2 Personality server ⁴⁾</p> 	
<p>FreeLdr boot menu ⁵⁾</p>	<p>FreeLdr boot menu ⁶⁾</p>



Version 0.0.4

OS/2 LX Executable (Win32 host) 7)	OS/2 LX Executable (L4 host) 8)
<p>A screenshot of a terminal window showing a list of memory addresses and their corresponding values. The text is mostly black on a black background, with some green highlights. A small red 'X' icon is visible in the top-left corner of the window.</p>	<p>A screenshot of a terminal window displaying a detailed memory dump. It shows hexadecimal addresses on the left and their corresponding values on the right. Some values are highlighted in green. A small red 'X' icon is visible in the top-left corner.</p>
FreeDOS startup	argenv.exe (arguments and environment test)
<p>A screenshot of a terminal window showing the output of the 'argenv.exe' program. The text is mostly black on a black background, with some green highlights. A small red 'X' icon is visible in the top-left corner.</p>	<p>A screenshot of a terminal window showing the output of the 'argenv.exe' program. The text is mostly black on a black background, with some green highlights. A small red 'X' icon is visible in the top-left corner.</p>
sort.exe (DosOpen test)	
<p>A screenshot of a terminal window showing the output of the 'sort.exe' program. The text is mostly black on a black background, with some green highlights. A small red 'X' icon is visible in the top-left corner.</p>	

Version 0.0.5



1)

Here you can see result of FreeLDR, Kickstart, L4Ka:Pistachio, sigma0 server and initial screen of pingpong application.

2)

Here you can see result of GRUB, Bootstrap, Fiasco and core servers with ongoing port/reimplementation of OS2Linux for L4 microkernel. Output to log server.

3)

Same as above, but output to graphical L4Con console.

4)

CONFIG.SYS already parsed and start of PROTSHELL execution

5)

simple menu

6)

full-featured menu

7)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of Win32 host

8)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of L4 host

9)

menu screen

From:

<https://cocorico.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://cocorico.osfree.org/doku/doku.php?id=en:screenshots&rev=1362967714>

Last update: **2013/03/10 23:00**

